

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|------------|----------------|---|--------|--------|---------------|--|------------------------------------|--|--|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Ball selecta | New Guinea Impatiens | Big Bounce | Violet | 3.2 | 4.3 | 3.4 | 3.6 | burnt, little healthier but not much, eaten | | 6 diseased | impressive ground coverage by July |
| Ball selecta | New Guinea Impatiens | Big Bounce | Pink | 3.1 | 4.1 | 3.3 | 3.5 | eaten, crispy ends | red color on foliage | 7 diseased, discoloration, yellowing | |
| Ball selecta | New Guinea Impatiens | Big Bounce | Red | 3.2 | 4.0 | 3.3 | 3.5 | crispy ends, eaten | red color on foliage | browning, half diseased | impressive ground coverage by July; tall too |
| Ball selecta | New Guinea Impatiens | Big Bounce | Lavender | 3.3 | 4.0 | 3.1 | 3.5 | little burnt/ dry, eaten some | lots of holes in foliage; beatles? | 10 diseased, yellowing | large plants |
| Ball selecta | New Guinea Impatiens | Big Bounce | White | 2.4 | 4.2 | 3.7 | 3.4 | eaten, burnt | | 6 diseased | |
| Ball selecta | New Guinea Impatiens | Big Bounce | Lilac | 3.0 | 3.9 | 3.3 | 3.4 | some yellowing and some eaten | dry | almost all diseased, yellowing | impressive ground coverage by July |
| Ball selecta | New Guinea Impatiens | Big Bounce | Lavender Flame | 2.8 | 4.0 | 3.2 | 3.3 | some yellowing, eaten | | a lot diseased | impressive ground coverage by July |
| Ball selecta | New Guinea Impatiens | Big Bounce | Cherry | 2.7 | 3.7 | 3.2 | 3.2 | darkening of leaves, whitening | red color on foliage | 7 diseased, brown | impressive ground coverage by July |
| Ball selecta | New Guinea Impatiens | Bounce | White | 2.6 | 3.8 | 2.9 | 3.1 | little yellowing | red, beatles | yellowing, 9 diseased | did not canopy |
| Ball selecta | New Guinea Impatiens | Bounce | Bright Coral | 2.3 | 3.8 | 2.4 | 2.8 | burnt and eaten | red foliage | almost all diseased, browning | did not canopy |
| Ball selecta | New Guinea Impatiens | Bounce | Pink Flame | 1.9 | 3.4 | 3.2 | 2.8 | very eaten, yellow and burnt | yellowing, 2 dead | japanese beatles, yellowing, browning, 12 diseased | did not canopy |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-------------|----------------|---|--------|--------|---------------|--|-------------------------|---|--|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Ball selecta | New Guinea Impatiens | Bounce | Lilac | 2.3 | 3.4 | 2.6 | 2.8 | some yellowing | 2 dead | 12 diseased | did not canopy |
| Ball selecta | New Guinea Impatiens | Bounce | Violet | 2.2 | 3.4 | 2.7 | 2.8 | redding, white, eaten | yellowing, 1 dead | 8 diseased | did not canopy |
| Ball selecta | New Guinea Impatiens | Bounce | Cherry | 2.1 | 3.7 | 2.3 | 2.7 | burnt and eaten | | almost all diseased, red coloration | did not canopy |
| Ball selecta | New Guinea Impatiens | Celebration | Electric Rose | 3.6 | 3.7 | 2.9 | 3.4 | circle-shaped dead spots on foliage | | dry | nice big plants, full canopy; great flower color |
| Ball selecta | New Guinea Impatiens | Celebration | Deep Red | 3.9 | 3.6 | 2.5 | 3.4 | very little browning | curled in | weird coloration, 3 diseased | |
| Ball selecta | New Guinea Impatiens | Celebration | Tropical Peach | 3.8 | 3.2 | 2.6 | 3.2 | brown leaves | curled in, dry foliage | curled, reddening | |
| Ball selecta | New Guinea Impatiens | Celebration | Purple | 3.8 | 3.4 | 2.1 | 3.1 | browning | | lightened coloration, spots, 3 diseased | canopied well |
| Ball selecta | New Guinea Impatiens | Celebration | Sky Blue | 3.7 | 3.4 | 2.0 | 3.1 | yellowing | little yellowing | yellowing | nice full canopy |
| Ball selecta | New Guinea Impatiens | Celebration | White | 3.8 | 3.0 | 1.9 | 2.9 | little yellowing | | dry/curled, 6 diseased | |
| Ball selecta | New Guinea Impatiens | Celebrette | Hot Pink | 3.6 | 3.6 | 3.7 | 3.6 | yellowing | | curled some, 2 diseased | nice big plants, full canopy; great flower color |
| Ball selecta | New Guinea Impatiens | Celebrette | Frost | 3.3 | 3.4 | 3.6 | 3.4 | yellowing | little bit of yellowing | 4 diseased | |
| Ball selecta | New Guinea Impatiens | Celebrette | Orange Crush | 3.6 | 3.8 | 2.9 | 3.4 | brown leaves | doing really well | curled, spots | nice, full canopy; great flower color |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-------------|-----------------|---|--------|--------|---------------|--|--|---|--|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Ball selecta | New Guinea Impatiens | Celebrette | Red | 3.2 | 3.3 | 2.3 | 2.9 | yellowing | 6 dead/ almost dead | 13 diseased, curled | a lot of disease |
| Ball selecta | New Guinea Impatiens | Celebrette | Grape Crush | 2.8 | 3.2 | 2.1 | 2.7 | grey tips | some discoloration | browning, coloration, 3 diseased | |
| Ball selecta | New Guinea Impatiens | Celebrette | Strawberry Star | 3.4 | 2.6 | 1.4 | 2.5 | 1 almost died, discoloration, green color | 3 not doing well, some leaves are tinted green | dry, a lot diseased | |
| Ball selecta | New Guinea Impatiens | Color Power | Violet | 3.2 | 3.8 | 2.5 | 3.1 | crisp ends, discoloration | redding on foliage | curled, 7 diseased | did not canopy |
| Ball selecta | New Guinea Impatiens | Color Power | White | 3.1 | 3.9 | 2.3 | 3.1 | some yellowing, eaten, some white | dry/ dead leaves | 2 diseased | did not canopy but one of best in series |
| Ball selecta | New Guinea Impatiens | Color Power | Orange | 3.3 | 3.6 | 2.4 | 3.1 | burnt/yellow, less eaten | spots of red on foliage | 4 diseased | did not canopy but one of best in series |
| Ball selecta | New Guinea Impatiens | Color Power | Dark Red | 3.2 | 3.5 | 2.6 | 3.1 | crispy ends | red color on foliage | dry, red coloration, 3 diseased | did not canopy |
| Ball selecta | New Guinea Impatiens | Color Power | Salmon Eye | 2.5 | 3.9 | 2.5 | 3.0 | eaten, burnt | yellowing/spots | 5 diseaed, bent | did not canopy |
| Ball selecta | New Guinea Impatiens | Color Power | Orchid Flame | 2.2 | 3.6 | 2.7 | 2.8 | a lot not flowered, eaten, crisp ends | red color on foliage | discoloration/ browning, 1 diseased | did not canopy but one of best in series |
| Ball selecta | New Guinea Impatiens | Colorwork | White | 2.6 | 3.6 | 2.4 | 2.9 | yellowing and crisp | yellowing | 7 diseased | |
| Ball selecta | New Guinea Impatiens | Colorwork | Red | 2.3 | 3.3 | 2.6 | 2.8 | burnt and crisp, white | spots, discoloration | spots, yellowing, 3 diseased, red coloration | |
| Ball selecta | New Guinea Impatiens | Colorwork | Orange Stripe | 2.5 | 3.1 | 2.7 | 2.8 | burnt | spots | darkening of coloration for foliage, 3 diseased | |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|-------------------------|---------------------|---------------|---|--------|--------|---------------|--|--|---------------------------------|---|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Ball selecta | New Guinea Impatiens | Colorwork | Purple | 2.7 | 3.0 | 2.3 | 2.7 | burnt | white disease | 7 diseased | widest in series/ better ground cover |
| Danzinger | New Guinea Impatiens | Harmony | Snow | 3.9 | 3.8 | 2.4 | 3.4 | 1 dying, little yellowing | foliage is curled in | curled, almost all diseased | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Pitaya Cream | 3.8 | 3.4 | 2.8 | 3.3 | little browning | | weird coloration, | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Bubblegum | 3.7 | 3.1 | 2.8 | 3.2 | | | looks dry | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Cardinal Red | 3.7 | 3.3 | 2.5 | 3.2 | | burnt in coloration and curled in | discoloration, spots | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Orange Star | 3.6 | 2.9 | 2.6 | 3.0 | yellowing | foliage is curled in | curled, 1 diseased | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Salmon Fringe | 3.5 | 2.9 | 2.6 | 3.0 | | little burnt looking coloration on foliage | red spots, 4 diseased | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony | Orange Blaze | 3.6 | 3.3 | 1.8 | 2.9 | | | yellowing, 6 diseased, spots | lackluster series |
| Danzinger | New Guinea Impatiens | Harmony Radiance | Lilac | 3.8 | 3.5 | 3.3 | 3.5 | | | curled foliage | unimpressive canopy. Small plantws |
| Danzinger | New Guinea Impatiens | Harmony Radiance | Pink | 3.1 | 3.2 | 2.9 | 3.1 | yellowing | | discoloration, burnt | unimpressive canopy |
| Danzinger | New Guinea Impatiens | Harmony Radiance | Magenta | 3.6 | 2.4 | 2.8 | 3.0 | red leaves | | curled | unimpressive canopy |
| Danzinger | New Guinea Impatiens | Harmony Radiance | Scarlet | 3.2 | 3.1 | 2.1 | 2.8 | red leaves | red coloring on foliage, 1 dying | brown coloring, 5 diseased | unimpressive canopy |
| Danzinger | New Guinea Impatiens | Harmony Strike | Orange | 3.6 | 3.6 | 2.6 | 3.3 | | leaves are curled in | spots | best canopy in series |
| Danzinger | New Guinea Impatiens | Harmony Strike | Plum | 3.6 | 3.0 | 2.0 | 2.9 | browning | burnt in coloration, dry in foliage | red spots, dry, curled | |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|----------------|-----------------|---|--------|--------|------------|--|---|---|-------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Danzinger | New Guinea Impatiens | Harmony Strike | Orchid | 3.6 | 2.9 | 1.7 | 2.7 | some holes on leaves (bug maybe) | burnt | leggy, spots, dry, curled, 1 diseased | |
| Dummen | New Guinea Impatiens | Magnum | Hot Pink | 3.8 | 3.3 | 2.8 | 3.3 | | redding in coloration of foliage | 8 diseased, red color under leaves | did not canopy |
| Dummen | New Guinea Impatiens | Magnum | Lavender Splash | 3.6 | 3.3 | 2.7 | 3.2 | | burnt in coloration | curled, 4 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Magnum | Wild Salmon | 3.9 | 3.2 | 2.4 | 3.2 | | yellowing, foliage is dry | 11 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Magnum | Purple | 3.5 | 3.2 | 2.3 | 3.0 | yellowing | burnt in coloration | yellowing, 6 diseased, spots | pretty plants |
| Dummen | New Guinea Impatiens | Magnum | Orange | 3.6 | 2.6 | 2.7 | 3.0 | | yellowing in coloration of foliage | 4 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Magnum | Clear Pink 2017 | 3.6 | 2.7 | 2.4 | 2.9 | crisp ends/yellowing | burnt in coloration | red color under leaves, burnt, 4 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Magnum | Red Flame | 3.6 | 2.4 | 2.5 | 2.9 | crisp | 1 dying, redspots | yellowing, red spots, 6 diseased | best canopy in series |
| Beekenkapm | New Guinea Impatiens | Odyssey | Ajax | 3.5 | 3.5 | 3.1 | 3.4 | dry leaves | | curled, yellowing, 1 diseased | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Elektra | 3.7 | 3.3 | 3.0 | 3.3 | discoloration, burnt | | yellowing, 1 diseased | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Orion | 3.6 | 3.2 | 2.7 | 3.2 | really yellowing | red coloration on foliage | curled, red spots | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Eos | 3.3 | 3.4 | 2.8 | 3.2 | little yellowing and browning | red foliage, curled in but not dry, few spots | 3 diseased, curled | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Helios | 3.5 | 3.3 | 2.1 | 3.0 | some discoloration, white on leaves, mold? | | yellowing, curled, 9 diseased | mediocre canopy closure |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|------------------|-----------------|---|--------|--------|------------|---|--|--|-------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Beekenkapm | New Guinea Impatiens | Odyssey | Medea | 3.0 | 3.2 | 2.6 | 2.9 | burnt, discoloration, rips in leaves | red coloration on foliage | 2 diseased, curled, red color | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Orestes | 3.1 | 3.3 | 2.3 | 2.9 | yellowing, holes in leaves | yellowing | 4 diseased, yellowing | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Hestia | 3.2 | 3.1 | 2.2 | 2.9 | discoloration | discoloration | 6 diseased, yellow spots | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Argius | 3.0 | 3.0 | 2.6 | 2.9 | dry, crisp, brown leaves, little white on leaves, mold? | discoloration | dry, 2 diseased, spots and red color | mediocre canopy closure |
| Beekenkapm | New Guinea Impatiens | Odyssey | Delilah | 3.1 | 2.8 | 2.1 | 2.6 | dried, shriveled leaves | curled foliage and red coloration | 7 diseased, curled, red spots and coloration | mediocre canopy closure |
| Dummen | New Guinea Impatiens | Painted Paradise | Wine | 3.5 | 3.2 | 2.4 | 3.0 | 2 almost dead, discoloration | flourishing, doing very well | 2 diseased, thriving compared to rest, red spots | best canopy in series |
| Dummen | New Guinea Impatiens | Painted Paradise | Red Imp | 3.3 | 3.0 | 1.3 | 2.6 | brown edges | burnt foliage | 9 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Painted Paradise | Orange Imp | 3.4 | 2.7 | 1.2 | 2.4 | brown edgee | burnt foliage, 4 dying | not as many diseased, red spots, 6 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Painted Paradise | Lilac | 3.4 | 2.7 | 1.1 | 2.4 | spots and red/brown leaves | green and yellow color leaved impatiens always do poorly, burnt foliage, 1 dying | red spots, awful, crisp, 9 diseased | did not canopy |
| Dummen | New Guinea Impatiens | Paradise Rococo | Electric Orange | 3.7 | 3.7 | 3.1 | 3.5 | | spots | 2 diseased | nice color of flowers |
| Dummen | New Guinea Impatiens | Paradise Rococo | Light Lavender | 3.7 | 3.7 | 2.8 | 3.4 | | yellowing | curled foliage | |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|-------------------------|-----------------|---------------|---|--------|--------|---------------|--|--|--|--------------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Dummen | New Guinea Impatiens | Paradise Rococo | Light Pink | 3.8 | 3.7 | 2.7 | 3.4 | | spots in coloration | 2 diseased | best canopy in series |
| Dummen | New Guinea Impatiens | Paradise Rococo | Purple | 3.5 | 3.8 | 2.6 | 3.3 | | spots in coloration. | tall and baren, skeletal, curled foliage, 2 diseased | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Apricot Cream | 3.5 | 3.3 | 2.9 | 3.3 | yellowing | foliage is curled in | lightened coloration, curled foliage, 2 diseased | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Deep Pink | 3.7 | 3.3 | 2.8 | 3.3 | | spots in coloration | | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Jaco | 3.6 | 3.3 | 2.9 | 3.3 | | | 1 diseased | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Cherry | 3.4 | 3.8 | 2.5 | 3.2 | | | 7 diseased, curled | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Rose Flair | 3.7 | 3.2 | 2.8 | 3.2 | | discoloration | reddening, 4 diseased, bent leaves | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Camona | 3.4 | 3.1 | 2.7 | 3.1 | | discoloration | 3 diseased | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | White 2017 | 3.4 | 3.5 | 2.3 | 3.1 | yellowing | 3 dead, yellowing of coloration | 8 diseased, curled, yellowing | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Lavender 2017 | 3.7 | 3.2 | 2.1 | 3.0 | yellowing | 3 dead | 7 diseased, curled | small plants |
| Dummen | New Guinea Impatiens | Paradise Rococo | Orange | 3.4 | 2.8 | 2.3 | 2.8 | | 2 diff colors of flowers, red coloration on tips | weird coloration, 2 diseased | small plants |
| Dummen | New Guinea Impatiens | Petticoat | White | 3.8 | 3.5 | 2.7 | 3.3 | yellowing of leaves | | 6 diseased | small plants |
| Dummen | New Guinea Impatiens | Petticoat | Fire | 3.7 | 3.1 | 2.7 | 3.2 | | darkened tips | reddening | small stressed plants; ugly |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-------------|---------------|---|--------|--------|---------------|---|--|------------------------------------|-----------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Dummen | New Guinea Impatiens | Petticoat | Blue | 4.1 | 2.9 | 2.3 | 3.1 | Sunny but cold and windy- weather, brownig on leaves | darkened tips | 6 diseased, yellowing | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Blue Star | 3.7 | 3.1 | 2.4 | 3.0 | browning on tips | burnt coloring of foliage | beautiful flowers, yellowing, bent | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Neon Night | 3.8 | 2.7 | 2.4 | 3.0 | | | 2 diseased, white spots, curled | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Salmon Night | 3.8 | 2.4 | 2.4 | 2.9 | 1 almost dead | | discoloration, 2 diseased | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Cherry Star | 3.4 | 2.6 | 2.5 | 2.8 | browning on tips | dry/yrlow | bent yellowing | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Red | 3.8 | 2.4 | 2.2 | 2.8 | | discoloration, burnt coloring in foliage | reddening under leaves, spots | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Red Star 2015 | 3.6 | 2.7 | 2.1 | 2.8 | yellowing and browning | curled in discoloration | curled, reddening, dry | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Mandarin Star | 3.4 | 2.5 | 2.3 | 2.7 | yellowing of leaves | discoloration | yellowing, curled foliage | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Petticoat | Purple Star | 3.7 | 2.4 | 2.0 | 2.7 | 1 gone | super dry | curled in, 4 diseased | small stressed plants; ugly |
| Dummen | New Guinea Impatiens | Pure Beauty | Violet | 3.9 | 2.6 | 2.7 | 3.1 | | coloration on tips | discoloration, 1 diseased | best canopy in series |
| Dummen | New Guinea Impatiens | Pure Beauty | Red On Pink | 3.7 | 2.7 | 2.4 | 2.9 | | leaves are dry | curled, spots, 3 diseased | |
| Dummen | New Guinea Impatiens | Pure Beauty | Purple | 3.9 | 2.6 | 2.2 | 2.9 | browning and yellowing | brown spots on leaves | 3 diseased, red spots | best canopy in series |
| Dummen | New Guinea Impatiens | Pure Beauty | Bright Orange | 3.9 | 2.1 | 2.3 | 2.8 | yellowing | brown edges on leaves | spots, discoloration | best canopy in series |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-------------|-----------------|---|--------|--------|---------------|--|---|--|---|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Dummen | New Guinea Impatiens | Pure Beauty | Salmon Pink | 3.7 | 2.2 | 2.4 | 2.8 | | discoloration of foliage | 2 diseased, spots, discoloration | pretty but not canopied |
| Dummen | New Guinea Impatiens | Pure Beauty | White | 3.7 | 2.3 | 2.0 | 2.6 | yellowing of leaves | yellowing of foliage | discoloration, curled, 1 diseased | pretty but not canopied |
| Dummen | New Guinea Impatiens | Rivera | Red Star | 3.7 | 3.6 | 3.7 | 3.6 | yellowing on ends | dry and curled foliage | | pretty plants best canopy closure of series |
| Dummen | New Guinea Impatiens | Rivera | Deep Salmon | 4.0 | 3.4 | 2.8 | 3.4 | browning on ends | red coloration on foliage | curled in, some dry leaves, red discoloration | pretty but not canopied |
| Dummen | New Guinea Impatiens | Rivera | Pink | 4.0 | 3.3 | 2.6 | 3.3 | browning on ends | red coloration, dry leaves | reddening, spots, discoloration, 6 diseased | pretty plants best canopy closure of series |
| Dummen | New Guinea Impatiens | Rivera | Blue | 3.8 | 3.4 | 2.3 | 3.2 | browning on ends | yellowing, discoloration, dry and burnt coloring of foliage | discoloration, burnt/crisp, red spts, 3 diseased | pretty but not canopied |
| Dummen | New Guinea Impatiens | Rivera | Red | 4.2 | 2.6 | 2.4 | 3.1 | foliage looks healthy | red coloration on foliage | discoloration, red tips | pretty but not canopied |
| Dummen | New Guinea Impatiens | Rivera | White | 3.7 | 2.8 | 2.5 | 3.0 | yellowing on ends | yellowing on foliage | burnt leaves/ crisp, 7 diseased | pretty but not canopied |
| Innova | New Guinea Impatiens | Select | Electric Orange | 3.2 | 3.6 | 3.6 | 3.5 | burnt | red coloration at the tips of the foliage | healthy foliage | very pretty, numerous flowers |
| Innova | New Guinea Impatiens | Select | Light Pink | 2.9 | 2.9 | 3.3 | 3.0 | some discoloration, burnt, holes | curled in but not as dry, dry on ends of a few | 2 diseased | very pretty, numerous flowers |
| Innova | New Guinea Impatiens | Select | Light Lavender | 2.9 | 3.4 | 2.5 | 2.9 | burnt and yellow on leaves | drying on tips of leaves on a couple | 7 diseased | nonvigorous, boring |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-------------|------------------|---|--------|--------|---------------|--|--|--------------------------------------|-------------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Innova | New Guinea Impatiens | Select | Light Rose | 2.8 | 3.3 | 2.6 | 2.9 | dry, burnt, on mostly bigger leaves | burnt in coloration | 6 diseased | nonvigorous, boring |
| Innova | New Guinea Impatiens | Select | Salmon | 3.0 | 2.9 | 2.6 | 2.9 | burnt and dry, white on leaves, ripped leaves | leaves curled in, drying on tips of leaves on a couple | 5 diseased | nonvigorous, boring |
| Innova | New Guinea Impatiens | Select | Blush White | 2.4 | 3.1 | 3.0 | 2.8 | yellow, dried ends | drying on tips of leaves on a couple | 2 diseased | very pretty, numerous flowers |
| Innova | New Guinea Impatiens | Select | New Red | 3.0 | 3.1 | 2.3 | 2.8 | white on leaves (small amount) | redding in coloration on tips of leaves | discoloration, 6 diseased | very pretty, numerous flowers |
| Innova | New Guinea Impatiens | Select | Cabano White | 2.7 | 3.0 | 2.4 | 2.7 | burnt and yellow, holes | yellowing of foliage | lightening of leaf color, 3 diseased | blah |
| Innova | New Guinea Impatiens | Select | Rose Flair | 2.6 | 2.8 | 2.6 | 2.7 | crisp ends, rips, discoloration in leaves, white on leaves | ends are crispy on a few | 8 diseased | nonvigorous, boring |
| Innova | New Guinea Impatiens | Select | Violet | 2.9 | 3.0 | 2.1 | 2.7 | some discoloration, dry leaves | redding in coloration on tips of leaves | discoloration, 14 diseased | nonvigorous, boring |
| Danzinger | New Guinea Impatiens | Sun Harmony | White | 4.0 | 3.9 | 3.3 | 3.7 | | leaves are curled in a little | culed, yellowing foliage | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Compact Lavender | 3.5 | 3.8 | 3.5 | 3.6 | red tips | | | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Violet | 3.6 | 3.4 | 3.3 | 3.4 | healthy foliage | foliage is curled in, black marks on leaves | spots | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Red | 3.7 | 3.4 | 3.2 | 3.4 | brown tips | black marks on foliage | 1 diseased, red spots | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Magenta | 3.6 | 3.7 | 2.9 | 3.4 | | | spots, 2 diseased | nice full canopy, 18-20" wide |

2017 CFGW Trial of SunPatians and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|-----------------|-----------------|---|--------|--------|-------------|--|--------------------------------------|--|--|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Danzinger | New Guinea Impatiens | Sun Harmony | Deep Orange | 3.5 | 3.4 | 3.0 | 3.3 | red on leaves | black marks on foliage | curled, discoloration | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Salmon | 3.3 | 3.6 | 2.7 | 3.2 | brown/red on leaves | | yellowing, spots | nice full canopy, 18-20" wide |
| Danzinger | New Guinea Impatiens | Sun Harmony | Purple | 3.4 | 3.3 | 2.8 | 3.2 | | discoloration | spots, 1 diseased | narrowest of series, 15" |
| Innova | Sunpatiens | Sunpatiens Comp | Orange | 4.2 | 4.1 | 4.0 | 4.07 | strong foliage | | 3 diseased, curled foliage | stunning, big plants |
| Innova | Sunpatiens | Sunpatiens Comp | Blush Pink | 3.9 | 4.3 | 3.9 | 4.04 | | best one | 5 diseased | stunning, very wide plants |
| Innova | Sunpatiens | Sunpatiens Comp | Electric Orange | 3.9 | 3.9 | 3.9 | 3.91 | | | spots, 5 diseased | very pretty, rich colored flowers, huge plants |
| Innova | Sunpatiens | Sunpatiens Comp | Purple | 3.8 | 3.9 | 3.8 | 3.8 | | | 0 diseased | excellent, huge plants |
| Innova | Sunpatiens | Sunpatiens Comp | Fire Red | 3.7 | 3.8 | 3.6 | 3.7 | yellowing a lot | coloration on leaves, 2 doing poorly | 2 diseased | relatively tight plants but wider and better than many other series; taller than 'Red' |
| Innova | Sunpatiens | Sunpatiens Comp | Deep Rose | 4.1 | 3.8 | 2.9 | 3.6 | little/some yellowing/browning | yellowing | 10 diseased | relatively tight plants but wider and better than many other series |
| Innova | Sunpatiens | Sunpatiens Comp | Lilac | 3.9 | 3.7 | 3.1 | 3.6 | some yellowing | dry at ends of leaves | spots, 6 diseased, other disease as well | relatively tight plants but wider and better than many other series |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|------------|-----------------|------------|---|--------|--------|------------|--|------------------------------------|---|--|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Innova | Sunpatiens | Sunpatiens Comp | Neon Pink | 3.8 | 3.8 | 3.0 | 3.5 | some yellowing | 1 doing poorly | 6 diseased | relatively tight plants but wider and better than many other series; lots of flowers |
| Innova | Sunpatiens | Sunpatiens Comp | Orchid | 3.7 | 3.6 | 3.4 | 3.5 | | dark spots in coloration on leaves | 4 diseased | relatively tight plants but wider and better than many other series |
| Innova | Sunpatiens | Sunpatiens Comp | Pink | 3.9 | 3.2 | 3.4 | 3.5 | | leaves curled in and crooked | 4 diseased, spots | relatively tight plants but wider and better than many other series |
| Innova | Sunpatiens | Sunpatiens Comp | White Imp | 3.2 | 4.1 | 2.9 | 3.4 | | | 4 diseased, spots | relatively tight plants but wider and better than many other series |
| Innova | Sunpatiens | Sunpatiens Comp | Red | 3.8 | 3.7 | 2.7 | 3.4 | brown and yellow | 3/4 of them doing poorly | curled, 7 diseased | not a tall as 'Red Fire' |
| Innova | Sunpatiens | Sunpatiens Comp | Hot Coral | 3.6 | 3.8 | 2.7 | 3.4 | some yellowing | 6 doing poorly | 7 diseased | smallest in series |
| Innova | Sunpatiens | Sunpatiens Comp | Coral Pink | 3.9 | 4.1 | 2.1 | 3.3 | | | 10 diseased, yellow spots, almost all damaged/unhealthy | smallest in series, ugly |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|------------|----------------------|-----------------|---|--------|--------|------------|--|--|-------------------------------------|---|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Innova | Sunpatiens | Sunpatiens Comp | Tropical Rose | 3.8 | 3.8 | 2.3 | 3.3 | browning and edges | | curled, dry, 7 diseased | relatively tight plants but wider and better than many other series |
| Innova | Sunpatiens | Sunpatiens Comp | Royal Magenta | 3.7 | 3.6 | 2.4 | 3.2 | | | 6 diseased | small stressed plants; ugly |
| Innova | Sunpatiens | Sunpatiens Spreading | Clear White | 3.7 | 4.0 | 4.6 | 4.08 | | yellowing/ discoloration | 1 diseased | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Corona | 3.9 | 4.1 | 4.2 | 4.04 | | leaves are curled in | | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Carmine Red | 3.7 | 3.8 | 4.4 | 3.96 | darkening on leaves | | | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Scarlet Red | 3.6 | 3.7 | 4.5 | 3.94 | 1 dead, dead ends of leaves | | 3 diseased | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Pink Flash | 3.8 | 4.0 | 4.1 | 3.94 | red on leaves | | curled, 2 diseased | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Shell Pink | 3.5 | 4.1 | 4.3 | 3.94 | | | | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Tropical Orange | 3.8 | 3.7 | 4.3 | 3.93 | brown on leaves | | 2 diseased | stunning, very wide plants |
| Innova | Sunpatiens | Sunpatiens Spreading | Clear Orange | 3.7 | 3.7 | 4.3 | 3.9 | darkening on leaves | | 2 diseased, japanese beatles, spots | spectacular |
| Innova | Sunpatiens | Sunpatiens Spreading | Salmon V/L | 3.9 | 3.4 | 3.6 | 3.6 | | spots in coloration of foliage, leaves are growing crookedly | 2 diseased, dry | |
| Innova | Sunpatiens | Sunpatiens Spreading | White V/L | 3.3 | 3.4 | 4.1 | 3.6 | red on leaves, brown along veins | | dry, brown, burnt spots | |
| Innova | Sunpatiens | Sunpatiens Spreading | Lavender | 3.7 | 3.6 | 3.3 | 3.5 | yellowing | | 5 diseased, curled | wow! Full canopy |
| Innova | Sunpatiens | Sunpatiens Vigorous | Magenta | 3.6 | 3.9 | 4.2 | 3.89 | | Beatles | lots of beatles, 2 diseased | wide and tall! |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|----------------------|---------------------|---------------|---|--------|--------|------------|--|--|---|-------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Innova | Sunpatiens | Sunpatiens Vigorous | Lavender | 3.6 | 3.5 | 4.0 | 3.7 | 1 almost dead | yellowing of foliage | 2 diseased, spots, dry looking | wide and tall! |
| Innova | Sunpatiens | Sunpatiens Vigorous | Orange | 2.9 | 3.8 | 4.3 | 3.7 | brown and yellow | | beatles, yellowing | wide and tall! |
| Innova | Sunpatiens | Sunpatiens Vigorous | White | 2.7 | 3.4 | 4.2 | 3.4 | some brown | Beatles | 2 diseased | wide and tall! |
| Dummen | New Guinea Impatiens | Sunstanding | Salmon | 3.7 | 3.9 | 4.6 | 4.04 | | | white disease | Wow! |
| Dummen | New Guinea Impatiens | Sunstanding | Orange Aurora | 3.8 | 3.6 | 4.6 | 4.02 | | 1 dead, browning of foliage | beatle, 2 diseased | Wow! |
| Dummen | New Guinea Impatiens | Sunstanding | Purple | 3.6 | 3.6 | 4.0 | 3.7 | leaves look burnt | brown tips on foliage | 1 diseased | nice wide canopy |
| Dummen | New Guinea Impatiens | Sunstanding | Neon Red | 3.7 | 3.4 | 3.7 | 3.6 | browning and yellowing | | 2 diseased, red spots | nice wide canopy |
| Dummen | New Guinea Impatiens | Sunstanding | Coral Aurora | 3.7 | 3.4 | 3.6 | 3.5 | browning and yellowing | 3 dying | 2 diseased | nice wide canopy |
| Dummen | New Guinea Impatiens | Sunstanding | Magenta | 3.6 | 3.4 | 3.5 | 3.5 | | | 4 diseased | nice wide canopy |
| Dummen | New Guinea Impatiens | Sunstanding | White Cloud | 3.3 | 3.3 | 3.6 | 3.4 | yellowing of leaves | browning of foliage | 1 diseased, discoloration | nice wide canopy |
| Dummen | New Guinea Impatiens | Sweetie | Fire | 3.7 | 2.7 | 2.6 | 3.0 | | 3 dead/ dying. Red Coloration | 5 diseased | wimpy tiny plants |
| Dummen | New Guinea Impatiens | Sweetie | Pink | 3.3 | 2.8 | 2.2 | 2.8 | white spots | foliage is dry | 10 diseased | wimpy tiny plants |
| Dummen | New Guinea Impatiens | Sweetie | Blue | 3.4 | 2.6 | 2.3 | 2.8 | crispy ends | 3 dead/ dying, red coloration, curled in | discoloration, spots, dry looking | wimpy tiny plants |
| Dummen | New Guinea Impatiens | Sweetie | Red Star | 3.4 | 2.6 | 2.2 | 2.7 | some bad ends | foliage is dry and growing crooked | leaves curled, yellowing, burnt, beatles | wimpy tiny plants |
| Dummen | New Guinea Impatiens | Tamarinda | Orange Orchid | 3.6 | 3.4 | 3.5 | 3.5 | | red coloration | foliage is bent in weird directions, 4 diseased | mediocre canopy closure |
| Dummen | New Guinea Impatiens | Tamarinda | White | 3.8 | 3.2 | 3.4 | 3.5 | yellowing on edges | burnt and yellowing in color | yellowing | mediocre canopy closure |

2017 CFGW Trial of SunPatiens and New Guinea Impatiens at Wes Madison Ag Research Station

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|-------------------------|-------------|------------------|---|--------|--------|---------------|--|---|--|---|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| Dummen | New Guinea Impatiens | Tamarinda | Purple | 4.1 | 3.3 | 3.0 | 3.5 | healthier foliage | red spots in coloration | couple dead spots, 2 diseased | mediocre canopy closure |
| Dummen | New Guinea Impatiens | Tamarinda | Pink | 3.8 | 3.1 | 3.1 | 3.3 | yellowing and browning | white spots (disease), burnt coloration | reddening on leaves, spots and burning coloration, 1 diseased | best canopy in series |
| Dummen | New Guinea Impatiens | Tamarinda | Red Bicolor 2017 | 3.3 | 2.9 | 3.3 | 3.2 | yellowing and browning | white spots (disease), curled in | leaves curled under | mediocre canopy closure |
| Dummen | New Guinea Impatiens | Tamarinda | Red Flame | 3.6 | 2.8 | 2.9 | 3.1 | browning on ends | white spots (disease), red coloring | red tips | mediocre canopy closure |
| Dummen | New Guinea Impatiens | Tamarinda | Dark Red | 3.8 | 2.5 | 2.4 | 2.9 | healthy foliage | 2 almost dead, redding on leaves | discoloration (red tips), red spots and burnt. 1 diseased | mediocre canopy closure |
| PanAmerican Seed | New Guinea Impatiens | Divine | Lavender Imp | 3.1 | 2.8 | 2.2 | 2.7 | yellowing and torn leaves, browning | | yellowing, 6 diseased, | full canopy with beautiful color flowers |
| PanAmerican Seed | New Guinea Impatiens | Divine | Orange | 2.8 | 3.2 | 2.8 | 2.9 | dry, burnt, ripped leaves, white on leaves | burnt in coloration | discoloration | best in series; full canopy with beautiful color flowers |
| PanAmerican Seed | New Guinea Impatiens | Divine | Red | 1.9 | 3.1 | 2.7 | 2.6 | yellow, dry, rips and holes | brown spots in coloration of foliage | discoloration/ spots | full canopy with beautiful color flowers |
| AAS | New Guinea Impatiens | NG florific | Sweet Orange F1 | 3.6 | 3.4 | 2.4 | 3.1 | yellowing | 2 almost dead | leggy, awful, growing in weird directions, yellowing, 3 diseased | OK |

| | | | | Average Score (1-5: 1=poorest, 5=best) | | | | Monthly Comments (24 plants/cultivar planted June 1) | | | |
|------------------|------------|------------|-------------------------|---|--------|--------|---------------|--|---------------------------------|------------|------------------------|
| Company/ Breeder | Genus | Series | Cultivar | 27-Jun | 27-Jul | 24-Aug | Season Avg | 27-Jun | 27-Jul | 24-Aug | end of season notes |
| AAS | Sunpatiens | Sunpatiens | Spreading Pink Shell | 3.4 | 3.7 | 3.9 | 3.7 | burnt look | yellowing some in coloration | 1 diseased | spectacular |